from the surplus producing dairies which are normally not eligible to receive any stock from the pooled commodities.

(d) Does not arise.

Proposal for linking East and West Delhi

2199. DR. RATNAKAR PANDEY: Will the Minister of RAILWAYS be plea,, sed to state:

(a) whether a local Railway link between East and West Delhi is proposed[1] to be laid- and

(b) if so, the stage at which the proposal stands at present indicating broad features thereof?

THE MINISTER OF RAILWAYS (SHRl GEORGE FERNANDES): (a) No, Sir.

(b) Does not arise.

Availability of water in South Delhi

2200. SHRI SHAMIM HASHMI: Will the Minister of URBAN DEVELOP MENT be pleased to state:

(a) whether Delhi is now to get more water from Haryana and other State$_s$ as reported in Times of India dated 14-2-1990 and if so, the details thereof;

(b) whether Government are aware that for the last 6—8 months water pressure in several colonies of South Delhi such as Panchsheel Enclave, which used to be very good has dropped necessitating installation and use of water pumps and tanks in each home leading to redundant investments apart from wasteful use of electricity for pumping;

(c) whether expenditure infractuous incurred by citizen in Delhi has been worked out per month and if so, details thereof and if not whether a study would be undertaken and consumers compensated suitably; and

(d) whether Delhi State Consumers Forum would be asked to study this case *suo motot*

THE MINISTER OF URBAN DEVELOPMENT (SHRI MURASOLI MARAN): (a) Delhi Water Supply & Sewage Disposal Undertaking have reported that so far there is no commitment by the Government of Haryana to supply additional ra$_w$ water for Delhi. Water from storages of Kishau Dum & Renuka Dam to the extent of 0. 5 MAF (1674 MLD> and 0. 4 MAF (1339 MLD) respectively is likely to become available sometime in 2001 A. D. only as per the present assessed completion period of dams.

(b!) to (d) The colonies in South Delhi are at the tail end of the water distribution system since the treatment plant$_s$ are located in North, North East and North West Of Delhi, water is carried through, rising mains over a distance of 15 to 20 Kms. Thus even minor break downs in the transmission system have repercussions in the supply at the tail end. Besides this, the water pressure in certain colonies of 9outh Delhi is low on account of increased demand of water during summer months. Installation of storage tank with boosters pump in big houses is desirable SQ that the consumers can store water for use during non supply hours and expenditure on the same is not considered infructuous.

Ineffectiveness of pesticides against whitefly

2201. SHRI SHAMIM HASHMI: Will the Minister of AGRICULTURE be pleased to state:

(a) whether pesticides are ineffective in controlling whitefly against cotton and if so, the details thereof indicating finan-cal losses to cotton crop suffered during the last three years; and

(b) whether Government are aware of the fact that the problem was over-
- come in some South American Countries through resort to alternative methods of plant protection, including Biological control and if so, the reasons for not using this technology in the country?